





| # | <i>Item</i>   | <i>Order Code<br/>(Part ##)</i> | <i>Q-ty</i> | <i>Related Videos (Youtube)</i> | <i>Leaflet, etc</i>                   |
|---|---|---------------------------------|-------------|---------------------------------|---------------------------------------|
|   | <ul style="list-style-type: none"> <li>▶ Far Side Wall Thickness Measurement in tubes with use of regular single element probes</li> <li>▶ Switchable into the simplest corrosion gauge mode (digital readout only)</li> <li>⇒ Comprehensive Data Logger</li> <li>⇒ Supervisor lock / unlock function</li> <li>⇒ Full USB Controllability</li> <li>▶ ISONIC utPod for PC SW package (SW 808012) on the backup USB key: <ul style="list-style-type: none"> <li>→ USB Connection to PC with live large high quality A-Scan / instrument control over USB</li> <li>→ Storing Calibrations / A-Scans / Data Logger files directly onto PCs disk drive</li> <li>→ Exporting Calibrations / A-Scans / Data Logger files from instrument onto PCs disk drive</li> <li>→ Importing Calibrations / A-Scans / Data Logger files from PCs disk drive into instrument</li> <li>→ Generating Inspection / Calibration Report - hard copy. PDF file, editable MS Word file</li> <li>→ Exporting Data Logger data Into Excel file</li> </ul> </li> <li>▶ Operating Manual on the backup USB key</li> <li>▶ USB Cable for connection to the PC (S 808014)</li> <li>▶ Backup USB Key (S 808016)</li> <li>▶ Integrated Li-Ion Battery Pack (S 808018)</li> <li>▶ Stylus Stick (S 808020)</li> <li>▶ External charger with power cable (S 808022) - on-board battery charging</li> </ul> |                                 |             | -                               | -<br><br>-<br><br>-<br><br>-<br><br>- |

| # | Item   | Order Code (Part ##) | Q-ty | Related Videos (Youtube) | Leaflet, etc  |
|---|--|----------------------|------|--------------------------|---|
|   | <ul style="list-style-type: none"> <li>▷ 2 G Internal Memory (SD Card)</li> <li>▷ 400 g (0.88 lbs) including battery</li> <li>▷ 12-month warranty for electronics and batteries</li> <li>▷ Lifetime free firmware upgrade for the instrument through <b>www.sonotronndt.com</b></li> <li>▷ Lifetime free software upgrade for the ISONIC utPod for PC SW package through <b>www.sonotronndt.com</b></li> </ul> |                      |      | -                        |   |
| 2 | Table Stand for ultrasonic testing instrument ISONIC utPod - included  | S 808040             | 6    |                          | <a href="http://www.sonotronndt.com/PDF/ACS/utPod/S_808040_S_918782.pdf">http://www.sonotronndt.com/PDF/ACS/utPod/S_808040_S_918782.pdf</a> |
| 3 | Cable LEMO 00 - LEMO 00  | SK 799308            | 12   |                          | <a href="http://www.sonotronndt.com/PDF/ACS/CBL_CONV/SK_799308.pdf">http://www.sonotronndt.com/PDF/ACS/CBL_CONV/SK_799308.pdf</a>           |
| 4 | Cable LEMO 00 - LEMO 01  | SK 799312            | 12   |                          | <a href="http://www.sonotronndt.com/PDF/ACS/CBL_CONV/SK_799312.pdf">http://www.sonotronndt.com/PDF/ACS/CBL_CONV/SK_799312.pdf</a>           |
| 5 | Cable LEMO 00 - Microdot   | SK 799316            | 12   |                          | <a href="http://www.sonotronndt.com/PDF/ACS/CBL_CONV/SK_799316.pdf">http://www.sonotronndt.com/PDF/ACS/CBL_CONV/SK_799316.pdf</a>           |
| 6 | Hard Shell Case for Carrying 6 Units of ISONIC utPOd   | HCUTOD               | 1    |                          |   |

**Notes:**

- Optional extensions are available upon request – probes, calibration blocks, laptop computers, large screens
- Installation and turn key available upon request